

Texas 77843-2258, USA; and **GRAHAM S. CRIGLOW**, Brazos Valley Museum of Natural History, 3232 Briarcrest Drive, Bryan, Texas 77802, USA.

TRACHEMYS SCRIPTA ELEGANS (Red-eared Slider). USA: TEXAS: TRINITY CO.: Specimen found dead from unknown causes 400 m NE of the Trinity River under an elevated portion of State Highway 19 (30°52'20.9"N, 95°23'14.6"W). 23 September 2006. TCWC 91575. Verified by Toby Hibbitts. New county record (Dixon 2000. *Amphibians and Reptiles of Texas*, Second edition, Texas A&M Univ. Press, College Station. 421 pp.). Partially fills in the hiatus in east Texas between Houston and Polk counties.

Submitted by **KJ LODRIGUE, JR.**, Texas A&M University, Department of Wildlife & Fisheries Sciences, College Station, Texas 77843-2258, USA; and **GRAHAM S. CRIGLOW**, Brazos Valley Museum of Natural History, 3232 Briarcrest Drive, Bryan, Texas 77802, USA.

LACERTILIA

ANOLIS FUSCOAURATUS (Papa-vento da Amazônia; Amazon Slender Anole). BRAZIL: MINAS GERAIS: CARATINGA MUNICIPALITY: Reserva Particular do Patrimônio Natural Feliciano Miguel Abdala (19°43'53"S, 41°49'00"W). December 2000. J. Cassimiro. Museu de Zoologia da Universidade de São Paulo, São Paulo (MZUSP 95078, J. Cassimiro field number 317). Verified by M. T. Rodrigues. Previously known from Bolivia, Peru, Ecuador, Colombia, Venezuela, Guyana, Suriname, French Guiana, and Atlantic Rain forests of Brazil (Ávila-Pires 1995. *Zool. Verh. Leiden* 299:1–708; Peters and Donoso-Barros 1970. *Catalogue of the Neotropical Squamata. Part II. Lizards and Amphisbaenians. Bull. U.S. Natl. Mus.* 297:1–293). There are a small number of literature records from Brazil giving precise localities, with the southern limit being the state of Espírito Santo (Williams and Vanzolini 1980. *Pap. Avul. Zool.* 34[6]:99–108). This first state record extends the known distribution ca. 185 km airline W from the closest known locality in Linhares, state of Espírito Santo (Rocha 1998. *Anais do VIII Seminário Regional de Ecologia*, pp. 869–881).

Submitted by **JOSÉ CASSIMIRO** (e-mail: geckoides@yahoo.com.br), Departamento de Zoologia, Instituto de Biociências, Universidade de São Paulo, Caixa Postal 11.461, CEP 05422-970, São Paulo, SP, Brazil; **VINÍCIUS XAVIER** (e-mail: vinic@int.foa.br), Universidade Federal de Alfenas, Rua Gabriel Monteiro da Silva, 714, CEP 37130-000, Alfenas, MG, Brazil; and **JAIME BERTOLUCI**, Departamento de Ciências Biológicas, Escola Superior de Agricultura “Luiz de Queiroz,” Universidade de São Paulo, Av. Pádua Dias, 11, CEP 13418-900, Piracicaba, SP, Brazil (e-mail: bertoluc@esalq.usp.br).

ANOLIS HETERODERMUS (Flat Andes Anole): COLOMBIA: PUTUMAYO DEPARTMENT: VALLE DE SIBUNDOY: Municipio de Colón (01°11'N, 76°58'W), 300 m N of the cemetery, Private Natural Reserve “El Recuerdo, 2100 m elev. 21 December 2001. J. J. Mueses-Cisneros. Colección de Reptiles, Instituto de Ciencias Naturales, Universidad Nacional de Colombia, Bogotá (ICN 10594). Municipio de Colón (01°11'N, 76°58'W), 2060 m elev. 21 July 2004. T. Villarreal (ICN 10597). Municipio de Santiago (01°09'N, 77°00'W), Vereda Vijinchoy, on route to Patascocoy vol-

cano, along the Río Cristales, 2180 m elev. 11 July 2004. J. J. Mueses-Cisneros (ICN 10595-6). All verified by J. D. Lynch. This species is endemic to Colombia. Previously known from the Departments of Antioquia, Boyacá, Caldas, Cauca, Cundinamarca, Huila, and Valle, with the southernmost record in the El Tambo (02°24'N, 76°50'W), Cauca department (Lazell 1969. *Breviora* 325:1–23). First department records and southernmost for the species, extends known range ca. 150 km S from the southernmost previously known locality. It is highly probable that *A. heterodermus* is also present in Ecuador, because the Valle de Sibundoy is located at 01°05'–01°12'N and 76°53'–77°00'W, ca. 80 km from the boundary between Colombia and Ecuador.

Submitted by **JONH JAIRO MUESES-CISNEROS**, Instituto de Ciencias Naturales Universidad Nacional de Colombia, Apartado 7495, Bogotá, D.C., Colombia; e-mail: jjmueses@gmail.com.

ANOLIS SAGREI (Brown Anole). MÉXICO: VERACRUZ: Municipality of Minatitlán: ca. 1 km N of Minatitlán (18°01'40"N, 94°34' 01"W). 10 Nov 2004. Joan Gastón Zamora Abrego. Verified by Edmundo Pérez Ramos. Colección Herpetológica, Facultad de Ciencias, UNAM (MZFC 17763). Second record for Veracruz and extends the known range of the species ca. 88 km NW from Catemaco, San Andrés Tuxtla, Veracruz (Benítez 1997. *In* González et al. [eds.], *Historia Natural de los Tuxtlas*, pp. 495–500. Univ. Nac. Autó. México, D.F.). The specimen was found on a tree in rainforest.

Submitted by **JOAN GASTÓN ZAMORA-ABREGO** (e-mail: joangastn@yahoo.com.mx), **URI OMAR GARCÍA-VÁZQUEZ**, **ADRIÁN NIETO-MONTES DE OCA**, and **LUIS CANSECO-MÁRQUEZ**, Museo de Zoología, Facultad de Ciencias, UNAM, A.P. 70-399, México D.F. 04510.

BRACHYMELES APUS (Bornean Limbless Skink). MALAYSIA: SARAWAK: MIRI DIVISION, Trail between Lepo Bunga and Pa' Rebata (03°57'43.5"N, 115°33'51.0"E). 1520 m elev. Indraneil Das. 25 September 2000. (ZRC 2.6197). Verified by Kelvin K. P. Lim. Found DOR on an abandoned logging track, at the mid-elevation of Gunung Murud. The left side of its head partially eaten by ants. The original montane forest vegetation at that elevation has been removed through clear-felling. The species was only known from Bundu Tuhan (06°01'S, 116°32'E), nr. Headquarters of Gunung Kinabalu National Park, Sabah, Malaysia (Hikida 1982. *Copeia* 1982[4]:840–844). The present record is the first for Sarawak, and an extension of range ca. 250 km to the southwest.

Submitted by **INDRANEIL DAS**, Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak, 94300, Kota Samarahan, Sarawak, Malaysia; e-mail: idas@ibec.unimas.my.

CERCOSAURA ARGULUS (Elegant Eyed Lizard). BRAZIL: AMAZONAS: Municipality of Beruri, Reserva de Desenvolvimento Sustentável Piagaçu-Purus, Lago Ayapuá, Igarapé Ajará (04°24.988'S, 62°15.609'W, WGS 84, 11 m elev.). 29 October 2004. F. Waldez. Coleção de Anfíbios e Répteis, Instituto Nacional de Pesquisas da Amazônia, Manaus, Amazonas, Brazil (INPA-H 13845, female, 43.6 mm SVL). Igarapé Jabuti (04°26.698'S, 62°15.867'W, WGS 84, 18 m elev.). 26 May 2005.