

**Faculty of Cognitive Sciences and Human Development** 

PECSAYA: A MOBILE-BASED LEARNING USING PICTURE EXCHANGE
COMMUNICATION SYSTEM (PECS) FOR CAREGIVERS WITH AUTISM
SPECTRUM DISORDER (ASD) CHILDREN

Iffah Syafiqah binti Suhaili

Bachelor of Science with Honours (Cognitive Science) 2018

#### UNIVERSITI MALAYSIA SARAWAK

Grade:'	_
<b>Please tick one</b> Final Year Project Report	$\boxtimes$
Masters	
PhD	
INAL WORK	
ASD) CHILDREN is my original wor other sources with the exception whe	re
IFFAH SYAFIQAH (51949)	
	Masters PhD  INAL WORK  OF COGNITIVE SCIENCES AND Entitled, PECSAYA: MOBILE BASED ATION SYSTEM (PECS) FOR ASD) CHILDREN is my original wor other sources with the exception where text, nor has any part of the work by the syntham of the work by the syntham is any part of the work by the synth

I dec	lare this Project/Thesi	s is classified as (Please tick ( $$ )):
	CONFIDENTIAL	(Contains confidential information under the Official Secret Act 1972)*
	RESTRICTED	(Contains restricted information as specified by the organisation where research was done)*
$\boxtimes$	OPEN ACCESS	
	_	is is to be submitted to the Centre for Academic Information Services UNIMAS Institutional Repository (UNIMAS IR) (Please tick $()$ ):
$\boxtimes$	YES	
	NO	
Valid	lation of Project/The	esis
shall	<ul> <li>be placed officially in ights as follows:</li> <li>This Project/Th (UNIMAS).</li> <li>The Centre for A</li> </ul>	the Centre for Academic Information Services with the abide interest nesis is the sole legal property of Universiti Malaysia Sarawak Academic Information Services has the lawful right to make copies of sis for academic and research purposes only and not for other purposes.
	• The Centre for	Academic Information Services has the lawful right to digitize the
	• The Centre for	loaded into Local Content Database. Academic Information Services has the lawful right to make copies of his if required for use by other parties for academic purposes or by other g Institutes.
	-	ny claim shall arise from the student himself / herself neither a third oject/Thesis once it becomes the sole property of UNIMAS.
	•	esis or any material, data and information related to it shall not be lished or disclosed to any party by the student himself/herself without
		pproval from UNIMAS.
	Ufah	Syafiqah
Stude	nt's signature:	Supervisor's signature:
	_	une 2018 Date: 10 June 2018

#### Current Address:

Universiti Malaysia Sarawak (UNIMAS), Jalan Datuk Mohammad Musa, 94300, Kota Samarahan, Sarawak

Notes: \* If the Project/Thesis is CONFIDENTIAL or RESTRICTED, please attach together as annexure a letter from the organisation with the date of restriction indicated, and the reasons for the confidentiality and restriction.

# PECSAYA: Mobile based learning using Picture Exchange Communication System (PECS) for caregivers with Autism Spectrum Disorder (ASD) children

# IFFAH SYAFIQAH BINTI SUHAILI

This project is submitted in a partial fulfilment of the requirements for a Bachelor of Science with Honours (Cognitive Science)

The project entitled 'PECSAYA: Mobile based learning using Picture Exchange Communication System (PECS) for caregivers with Autism Spectrum Disorder (ASD) children' was prepared by Iffah Syafiqah and submitted to the Faculty of Cognitive Sciences and Human Development in partial fulfillment of the requirements for a Bachelor of Science with Honours (Cognitive Science).

Received for examination by:

(AHMAD SOFIAN BIN SHMINAN)

Date: 10 - Just 2018

Grade

Α

#### **ACKNOWLEDGEMENT**

Thanks to Almighty Allah for giving me strength and ability to understand, learn and complete this research.

I owe my honest gratitude to my respected supervisor, Sir Ahmad Sofian bin Shminan, who has guided me through the whole year during my Final Year Project. Without his guidance and persistent help, this research would not have been possible.

Also, I would like to express my sincere appreciation to my mom, Luluk Mufidah, my dad, Suhaili, my brothers, Farhan, Iffan and Adib who have been there for me; supporting and helping me throughout my Final Year Project. Thank you for encouraging me to be a better person every time and for financially supporting me.

To all my friends, thank you so much for everything. It was great to know that I am not alone and there is always people to help me, to get up when I feel down and demotivated.

I am deeply indebted to the caregivers who participated in my research. Your participation means a lot to me.

I humbly extend my thanks to all concerned people who co-operated with me in this research.

# TABLE OF CONTENTS

LIST OF TABLES	v
LIST OF FIGURES	<b>v</b> i
CHAPTER ONE INTRODUCTION	1
CHAPTER TWO LITERATURE REVIEW	7
CHAPTER THREE METHODOLOGY	30
CHAPTER FOUR RESULTS AND DISCUSSION	58
CHAPTER FIVE CONCLUSION, LIMITATIONS AND FUTURE RESEARCH	73
REFERENCES	76
APPENDIX A APPROVAL LETTER	81
APPENDIX B EXPERT EVALUATION CONSENT FORM	82

# LIST OF TABLES

Table 1 The ASD interventions and the examples of method and therapy	10
Table 2 Summary if six phases of PECS	21
Table 3 The differences of mobile learning and traditional learning	22
Table 4 Norman's design principles	23
Table 5 Summary of related works from the research study	27
Table 6 The construction of interview questions	59
Table 7 Response from the expert	60
Table 8 IMMS by Keller	65
Table 9 The links for online surveys, videos and APK file	67
Table 10 The comparison of means between the four motivational factors	71
Table 11 The comparison of related works from research study and PECSaya	74

# LIST OF FIGURES

Figure 1 ADDIE Model	31
Figure 2 Flowchart of content structure	34
Figure 3 The flash screen of PECSaya	35
Figure 4 Choosing language page	36
Figure 5 The main menu of PECSaya	36
Figure 6 The content of About PECS	37
Figure 7 The content of the Phases in PECS	37
Figure 8 The content of Phase 1 in PECSaya	38
Figure 9 The quiz page in PECSaya	38
Figure 10 Step 1 in installing Android Studio	
Figure 11 Step 2 in installing Android Studio	39
Figure 12 Step 3 in installing Android Studio	40
Figure 13 Step 4 in installing Android Studio	40
Figure 14 Step 5 in installing Android Studio	41
Figure 15 Step 6 in installing Android Studio	41
Figure 16 Step 7 in installing Android Studio	42
Figure 17 Step 8 in installing Android Studio	42
Figure 18 Step 9 in installing Android Studio	43
Figure 19 Step 10 in installing Android Studio	43
Figure 20 Step 11 in installing Android Studio	44
Figure 21 Step 12 in installing Android Studio	44
Figure 22 Step 13 in installing Android Studio	45
Figure 23 Step 14 in installing Android Studio	45
Figure 24 Step 15 in installing Android Studio	46
Figure 25 Step 16 in installing Android Studio	46
Figure 26 Step 17 in installing Android Studio	47

Figure 27 Step 18 in installing Android Studio	4
Figure 28 Step 19 in installing Android Studio	48
Figure 29 Step 20 in installing Android Studio	48
Figure 30 Step 21 in installing Android Studio	49
Figure 31 Step 22 in installing Android Studio	49
Figure 32 Step 23 in installing Android Studio	50
Figure 33 Step 24 in installing Android Studio	50
Figure 34 Step 25 in installing Android Studio	51
Figure 35 Step 26 in installing Android Studio	51
Figure 36 Step 27 in installing Android Studio	52
Figure 37 Step 28 in installing Android Studio	52
Figure 38 Step 29 in installing Android Studio	53
Figure 39 Step 30 in installing Android Studio	53
Figure 40 The interface of new project in java	54
Figure 41 The interface for new project in xml	54
Figure 42 The changes made in the introduction part	61
Figure 43 Added information regarding communication partner	62
Figure 44 Changes made in the Phase 1 in Phases of PECS	63
Figure 45 Changes made for the Gallery page	63
Figure 46 The words used in the quiz	64
Figure 47 PECSaya's APK file installation	68
Figure 48 Frequency of gender of caregivers	69
Figure 49 Frequency of the age of caregivers	70
Figure 50 Frequency of caregivers' relationship with ASD children	71
Figure 51 Approval letter to do final year project	81
Figure 52 Export avaluation consent form	82

#### **ABSTRACT**

Children with Autism Spectrum Disorders (ASD) often have difficulties in the areas such as social interaction, communication and behaviour. This research focuses on the development and evaluation of PECSaya, the mobile based learning using Picture Exchange Communication System (PECS) in Malay language for caregivers with Austism Spectrum Disorder (ASD) children. PECS is an alternative intervention to teach ASD children to communicate in social context. In this research, the expert and caregivers were evaluated using interviews and questionnaire respectively. To affectively achieve the research objectives, it follows closely the ADDIE (Analysis, Design, Development, Implementation and Evaluation) model which is under the Instructional System Design (ISD) methodology. Furthermore, the content structure of PECSaya includes the introduction, initial preparations, strategies and the activities which are developed mainly using Android Studio. In terms of evaluation, interviews were done to the expert in PECS approach to examine the content and usability testing using questionnaire were done towards the caregivers to know the user acceptance on this mobile based learning. For user acceptance, there were four motivational factors which are Attention, Relevance, Confidence and Satisfaction. The results concluded that 1. the mobile based learning was capable of grabbing the attention of the caregivers 2. the content of the mobile based learning was relevant to the caregivers' areas 3. the caregivers were not completely confident yet using the mobile based learning because it was their first time using the application 4. the caregivers were satisfied with the mobile based learning As a conclusion, the mobile based learning has been developed and evaluated. The issues on limitations and and promising directions for future research were elaborated further in this paper.

Keywords: Autism Spectrum Disorder, Picture Exchange Communication System, mobile based learning

#### **ABSTRAK**

Kanak-kanak yang menghidapi Autism Spectrum Disorder (ASD) sering mengalami masalah dalam interaksi sosial, komunikasi dan tingkah laku. Kajian ini menumpukan kepada pembangunan dan penilaian PECSaya, pembelajaran berasaskan mudah alih yang menggunakan Picture Exchange Communication System (PECS) dalam bahasa Malavsia untuk penjaga yang mempunyai kanak-kanak ASD. PECS adalah cara alternatif untuk mengajar anak-anak ASD untuk berkomunikasi dalam konteks sosial. Dalam kajian ini, pakar dan penjaga dinilai menggunakan temu bual dan soal selidik. Untuk mencapai matlamat penyelidikan, model ADDIE (Analisis, Reka Bentuk, Pembangunan, Pelaksanaan dan Penilaian) yang berada di bawah kaedah Instructional System Design (ISD) telah digunakan. Selain itu, struktur kandungan PECSaya termasuk pengenalan, persiapan awal, strategi dan aktiviti yang dilakukan telah dibangunkan menggunakan Android Studio. Dari segi penilaian, temu bual menggunakan soal selidik telah dilakukan kepada pakar dalam pendekatan PECS untuk mengkaji kandungan dan pengujian kebolehgunaan juga telah dilakukan kepada penjaga kanak-kanak ASD untuk mengetahui penerimaan mereka mengenai aplikasi ini. Terdapat empat faktor motivasi iaitu Perhatian, Relevan, Keyakinan dan Kepuasan. Keputusan soal selidik itu menunjukkan bahawa 1. aplikasi ini mampu menarik perhatian para penjaga 2. kandungan pembelajaran berasaskan mudah alih adalah relevan dengan bidang penjaga 3. para penjaga tidak yakin sepenuhnya menggunakan aplikasi ini keran berasaskan mudah alih kerana mereka menggunkannya untuk kali pertama 4. para penjaga berpuas hati dengan pembelajaran berasaskan mudah alih. Sebagai kesimpulan, pembelajaran berasaskan mudah alih telah dibangunkan dan dinilai. Isu mengenai batasan dan arah yang berpotensi untuk penyelidikan masa depan telah dijelaskan lebih jauh dalam kertas ini. Kata kunci: Autism Spectrum Disorder, Picture Exchange Communication System, pembelajaran mudah alih

#### **CHAPTER ONE**

#### INTRODUCTION

#### **Background of Study**

As stated by National Institute of Mental Health (2017), ASD is a term that is described by lasting problems with social communication and social interaction in different settings, repetitive behaviours and unwilling to change the everyday schedules. The symptoms usually begin in early childhood as early as the first two years of life and causing the individuals to need help in their daily life (National Institute of Mental Health, 2017).

A local survey by Hariati Azizan in The Burden of Autism (2008) reported that one in every 625 Malaysian children has autism (as cited in Chandran, 2016). The Ministry of Health also reported that autism cases are increasing, but many go undetected until the children are already in school (as cited in Chandran, 2016). It is reported by Nettleton (2008) that early intervention during the ages of 0 to 6 can reduce its impact and improve the child's development (as cited in Chandran, 2016).

Lim (2015) stated that all parents interviewed expressed feelings of being overwhelmed by the intensity of caring for their child as mostly the burden of care fell to the mothers. The fears of their children wandering off unattended, or inadvertently harming themselves or other people generally caused them high levels of anxiety (Lim, 2015). On top of caring for their child, caregivers found that even daily routines and activities were very difficult to carry out, and struggled to find time for themselves and their other children (Lim, 2015). Mothers of ASD children expressed the lack of needed therapies gave parents no choice but to seek the assistance of private therapists, which were "getting more expensive" and cause significant financial problems because of the costs of private therapies (Ilias et al., 2017).

A child with ASD have difficulties in the areas such as social interaction, communication and behaviour (Jack & Ady, 2006). Although some children have some sort of difficulties in these areas, however, not all children are the same so each children might have different pattern of difficulties (Jack & Ady, 2006). Some examples of intervention approaches for ASD children are Applied Behaviour Analysis (ABA), Discrete Trial Training (DTT), TEACCH and Picture Exchange Communication System (PECS).

#### **Problem Statements**

PECS is one of the alternative of ASD interventions in the aspect of communication. The mobile application proposed to be developed in this study look into the content structure of PECS approach. PECS was designed to teach young children to communicate in a social context and was developed at the Delaware Autistic Program (DAP) (Bondy & Frost, 1994; Frost & Bondy, 2002 as cited in Collet-Klingenberg, 2008). As stated by Collet-Klingenberg (2008) by using PECS, children are trained to give a picture of a favourable item to a communicative partner in exchange for the item. According to Collet-Klingenberg (2008), there are six phases of PECS instruction, which are: (1) Teaching how to communicate, (2) Expanding spontaneity, (3) Simultaneous discrimination of pictures, (4) Building sentence structure, (5) Answering to, "What do you want?" and (6) Commenting in response to a question.

The outstanding popularity of smartphones over the past decade has been driven by their significant computation, communication, and sensing capabilities, as well as the rich data they have about their users. As a result, platforms such as iOS and Android now have several millions of apps developed for them and billions of users (Statista, n.d.). In fact, it is impossible to know exactly how many apps are there, but as of March 2017 there were 2.8 million apps in Google Play alone, 200 thousand more than in December of the preceding year (Statista, n.d.). On the other hand, Apple Store had gone from 800 apps the month of its

launch in July 2008 to 2.2 million in January 2017 (Statista, n.d.). This shows the rapid growth of mobile applications in both Google Play and Apple Store since the past few years.

Perhaps, more mobile applications have become a medium for communication, learning and healthy lifestyle to some extent and it should not be a revelation since devices like smartphones are equipped with rich-features which boost the development of applications to improve the quality of human life (Voon, Bazilah, Maidin, Jumaat, & Ahmad, 2011). More mobile applications on health-related issues are appearing on the landscape such as applications for sleep problems, diabetes, education and communication applications for Autism Spectrum Disorder (ASD) as well (Voon et al., 2011).

There are a few related studies regarding the development of mobile applications using PECS intervention approaches such as AutiSay (Voon, Bazilah, Maidin, Jumaat, & Ahmad, 2015), Suara Saya (Ahmad, Hashim, & Nadia, 2017), MOSOCO (Escobedo, Nguyen, Boyd, Hirano, Rangel, Garcia-Rosas, ... & Hayes, 2012), Prospect (Raja, Saringat, Mustapha., & Zainal, 2017), Mi.L.A. (Loizides, Kartapanis, Sella, & Papadima-Sophocleous, 2015), JabTalk (JABTalk, 2016), PECS (PECS, 2017) and AutiPECS (Shminan, Adzani, Sharif, & Lee, 2017). Some of these studies have been implemented into application and published into Google Playstore; however, only some have published articles. All these existing studies and applications are developed by various backgrounds of people and countries. However less of these studies and applications actually implement PECS in a phase by phase learning for caregivers in Malaysian context. One of the study that applies PECS in their mobile application is called Prospect, a PECS-based Instant Messaging Application for ASD individuals which has been developed using agile development model for digital representation of PECS (Raja et al., 2017). According to Raja et al. (2017), a series of cards with certain illustration similar to physical cards will be the subject for the proposed application and with IM functionality, the ASD individuals will be able to send a simple

message easily by combining the cards to form a sentence. Thus, this application is focusing on the ASD individuals rather than caregivers themselves and only applying PECS as a general idea instead of as a learning material in phase by phase of PECS approach. Moreover, the mobile application is in Western context and not available in Malaysian context.

Therefore, with all these problems stated, there is a need to build this application.

#### **Research Objectives**

#### General objectives

The purpose of this study is to develop and evaluate a mobile application called PECSaya that may help the caregivers with Autism Spectrum Disorder (ASD) children using Picture Exchange Communication System (PECS) approach that is suitable in Malaysian context.

### Specific Objectives

The specific objectives in this research are:

- 1. To identify the problems faced by caregivers with ASD children.
- 2. To propose the content structure of PECS approach.
- 3. To design a mobile-based learning application according to the rules and principles in Human Computer Interaction (HCI).
- 4. To develop a mobile application for caregivers with ASD children which can be used in Bahasa Malaysia.
- 5. To evaluate the mobile application whether it is functional and easy to use by the experts in PECS and caregivers of ASD children.

#### **Research Ouestions**

This study is expected to answer the question:

1. What are the problems faced by the caregivers with ASD children?

- 2. What are the appropriate elements and contents to be integrated into the mobile application?
- 3. What are the reliable content structure of PECS that can be used to implement into mobile-based learning application?
- 4. How to design a good content of mobile application for learning PECS approach for the caregivers with ASD children?
- 5. How to evaluate the application whether it is functional by the experts in PECS approach and the caregivers of ASD children?

#### Significance of Study

While there have been many mobile applications that have been developed using PECS in general, there is little work to be found in those who are focusing on the caregivers of ASD children and in Malaysian context. Thus, this development of mobile-based learning of PECS approach could very well be help to ease the burden of caregivers who have a difficulty in taking care of their children as they are able to learn PECS approach and understand the content for them to apply to the ASD children.

#### Scope of Study

This study involves the process of developing a mobile-based learning using PECS approach for caregivers with ASD children. The content structure of PECS approach will be implemented into the mobile application in Malaysian context using Malay as the language. The design of the mobile application will follow the HCI rules and principles in order to get a user-centered interface that is easy to use by the caregivers. Experts in PECS approach will be consulted in order to get feedback about the implemented PECS approach and there will be an evaluation by the caregivers at the end of this study for improvement in the future studies.

# Conclusion

Thus, this chapter discusses about the background of study, problem statement, aim and objectives, research questions, significance of study and scope of study.

#### **CHAPTER TWO**

#### LITERATURE REVIEW

#### **Cognitive Sciences**

According to Fridenberg and Silverman (2011), cognitive science is the study of the mind which includes psychology, philosophy, artificial intelligence, neuroscience, linguistics and robotics, scientifically. They also mentioned that the name cognitive science denotes to the joint work on detailed problem of all these disciplines (Fridenberg & Silverman, 2011). As stated by Andler (2005), the area of cognitive science requires the mind, or in other words, the mental functions and processes, which are also a part of the brain that consists of psychology area that is pursued by novel means, with the help from disciplines which are also concerned with the mind. They carry a set of methodologies to overcome some of the drastic limitations of the outdated programmes in scientific psychology (Andler, 2005).

#### **Cognitive Psychology**

Cognitive psychology is an area of psychology which is concerned with cognitive mental processes. As stated by Sternberg and Sternberg, cognitive psychology is the study of how individuals learn, perceive, think and remember about knowledge (2009). Solso (2005) gave another description of cognitive psychology as the study of processes underlying mental events (Sternberg & Sternberg, 2009). Thus, cognitive psychology can be described as the area of psychology which is dealing with how individuals acquire, store, transform, use and communicate language (Sternberg & Sternberg, 2009). This being said, the cognitive psychologists study a number of cognitive processes which include attention, perception, pattern recognition, and memory (Sternberg & Sternberg, 2009).

#### **Learning Disabilities**

Learning disabilities, or known as learning disorders, are a general word that described a number of learning problems that are not affect the intelligence or motivation (Kemp, Smith & Segal, 2017). In facts, it affects the understanding, retention, acquisition, organization or use of verbal or non-verbal information as how they obtain and practise information (Kemp, Smith & Segal, 2017). Thus, it can cause difficulties for individuals with learning disabilities in learning new skills and information, as well as using them as they see, hear, and understand things differently (Kemp, Smith & Segal, 2017). Kemp, Smith and Segal (2017) also mentioned that typically, those with learning disabilities have a problem with writing, listening, reading, reasoning, math, and speaking. They also mentioned that Attention Deficit Hyperactive Disorder (ADHD) and Autism usually occur together or are mixed up with learning disabilities.

# Autism Spectrum Disorder (ASD)

As stated by National Institute of Mental Health (2017), ASD is a term that is described by lasting problems with social communication and social interaction in different settings, repetitive behaviours and unwilling to change the everyday schedules. The symptoms usually begin in early childhood as early as the first two years of life and causing the individuals to need help in their daily life (National Institute of Mental Health, 2017). Moreover, National Institute of Mental Health mentioned that the word "spectrum" talks about the wide range of symptoms, strengths, and levels of impairment that individuals with ASD may have (2017). Autistic disorder, Asperger's syndrome and pervasive developmental disorder (not otherwise specified) are included in the diagnosis of ASD (National Institute of Mental Health, 2017).

According to Lord, Cook, Leventhal and Amaral (2013), observations and descriptions of behaviour is the fundamental of a diagnosis of ASD. Abrahams and

Geschwind stated that there is not yet a valid biomarker of biological test to show that autism is a neurodevelopmental disorder even though there is ample evidence that show it does (as cited in Lord, Cook, Leventhal & Amaral, 2013). Autism occurs about four times more often in males than females, thus, the utmost risk factor for ASD is being male (Lord, Cook, Leventhal & Amaral, 2013). Granting the percentage has reduced from 75% to 50% over recent decades, intellectual disability frequently occurs together with ASD (Centers for Disease Control and Prevention, as cited in Lord, Cook, Leventhal & Amaral, 2013).

A local survey by Hariati Azizan in The Burden of Autism (2008) reported that one in every 625 Malaysian children has autism (as cited in Chandran, 2016). The Ministry of Health also reported that autism cases are increasing, but many go undetected until the children are already in school (as cited in Chandran, 2016). It is reported by Nettleton (2008) that early intervention can reduce its effect and increase the child's development (as cited in Chandran, 2016).

ASD Interventions. According to the past researches, a child with ASD have difficulties in these three areas—social interaction, communication and behaviour (Jack & Ady, 2006). Although some children have some sort of difficulties in these areas, however, not all children are the same so each children might have different pattern of difficulties (Jack & Ady, 2006). This is why it is called autism spectrum disorder, as it is to represent the wide range of abilities and challenges found in them (Jack & Ady, 206). Thus, a clear diagnosis and thorough assessment are necessary in order to know what works best for the children (Jack & Ady, 2006).

A range of ASD interventions and its examples are as shown in Table 1.

Table 1

The ASD interventions and the examples of method and therapy

A range of ASD interventions	Examples of method and therapy
Behavioural intervention	Applied Behaviour Analysis (ABA)
	Discrete Trial Training (DTT)
	Douglass Developmental Disabilities (DDDC) Program
	Incidental teaching
	Lovaas Program
	Pivotal Response Treatment (PRT)
	Positive Behaviour Support (PBS)
	Princeton Child Development Institute Program
Combined interventions	Early Start Denver Model
	SCERTS® Model
	TEACCH
Developmental interventions	Developmental social-pragmatic (DSP) model
•	DIR®/Floortime®
	Relationship Development Intervention® (RDI®)
	Responsive teaching
Family-based intervention	More Than Words®
Medical interventions	Atypical antipsychotics
	Typical antipsychotics
	Stimulants
Therapy-based interventions	Functional Communication Training (FCT)
	Sign language
	Picture Exchange Communication System (PECS)
Raising Children Network 201	7)

(Raising Children Network, 2017)

Challenges faced by the caregivers of ASD children in Malaysia. According to Ozonoff et al. (2011), all kinds of pressures arise within a family with a child with autism, and the resulting strain that is often placed on marriages (as cited in Lim, 2015). Parents of children with autism have to balance the needs of their child, busy therapy schedules, and perpetual financial worries (Lim, 2015). Lim (2015) stated that there may be serious disagreements between parents, and even the extended family, on best way of action. In the initial phases, parents may also go through a grieving process for the fact that their child will never be 'normal' (Lim, 2015).

A study by Lim (2015) stated that all parents interviewed expressed feelings of being overwhelmed by the intensity of caring for their child as mostly the burden of care fell to the

mothers. The fears of their children wandering off unattended, or inadvertently harming themselves or other people generally caused them high levels of anxiety (Lim, 2015). On top of caring for their child, caregivers found that even daily routines and activities were very difficult to carry out, and struggled to find time for themselves and their other children (Lim. 2015). Although it is very common amongst middle to higher income families to hire a livein helper, this situation is not ideal for caregiving as there is a clear mismatch of skills – the hired help is a substitute measure that allows parents to better manage day-to-day life, but does not meet the need for high quality care for children with autism (Lim, 2015). According to Lim (2015), for the low and middle income parents, the main issue with hired help was cost while for the high income parent, there was a lack of trust that untrained live-in help would be able to provide the kind of quality they desired, as well as cost, given that they had many other expenses associated with caring for their children (Lim, 2015). Again, the most common response to this gap in services resulted in mothers giving up their careers (Lim, 2015). Those who could, relied on family members who were able and willing to provide some form of care, but this help varied from family to family (Lim, 2015). It is rare for parents to have formalised break or replacement care, which would provide trained caregivers for short time periods and allow parents a window of time to do activities without their child (Lim, 2015).

A study by Ilias et al. (2017) reported that all mothers with autism children shared their realisation of the need for more support from the government in terms of more special schools for their children, therapeutic services, financial aid, and employment opportunities. They also stated that the mothers residing more on the city outskirts faced more challenges finding resources. From this study as well, it expressed the lack of needed therapies gave parents no choice but to seek the assistance of private therapists, which were "getting more expensive" and cause significant financial problems because of the costs of private therapies

(Ilias et al., 2017). Conflicts also seemed to arise from perceived caregiving role imbalances, differing acceptance levels, and mostly from stress and fatigue dealing with behavioural challenges (Ilias et al., 2017). This can also be seen in a study by Nikmat, Ahmad, Oon, and Razali (2008) as they found that 90.4% of parents demonstrated significant parenting stress on the Parenting Stress Index – Short Form (PSI-SF), and 53.8% of Malaysian parents of children with autism showed a clinical disturbance in psychological well being, conceptualized as clinically elevated scores on the General Health Questionnaire (GHQ-28).

In some families, parents without a normally developing child feel strongly obligated to try for another child that is 'normal' (Lim, 2015). This was an interesting finding, given that studies show that the risk of autism recurrence in siblings is estimated at around 2 to 18 percent (Ozonoff et al., 2011; Sumi et al., 2006 as cited in Lim, 2015). According to Lim (2015), the desire for a typically developing child led parents to try a second and even a third time, leaving them with the responsibility of caring for three children with autism. Part of this seemingly irrational behaviour may be due to the lack of available child care and long term planning as parents may feel the need to have at least one normally developing child who will in the long run shoulder some of the responsibility for the care of the sibling(s) with autism (Lim, 2015). As stated by Lim (2015), parents of children with autism expressed a feeling of ultimately being alone in their journey, thus, they require many different kinds of support in any occasion. While some parents were encouraged to seek counselling, child care or cost constraints often prevented them from pursuing this option (Lim, 2015).

# Picture Exchange Communication System (PECS)

The Picture Exchange Communication System (PECS) was designed to teach young children to communicate in a social context and was developed at the Delaware Autistic Program (DAP) (Bondy & Frost, 1994; Frost & Bondy, 2002 as cited in Collet-Klingenberg, 2008). Collet-Klingenberg (2008) stated that by using PECS, children are trained to give a