



A STORY OF  
**PATHOLOGY**  
AND  
**CANCER**

MOHAMMAD ZULKARNAEN  
BIN AHMAD NARIHAN

A STORY OF  
**PATHOLOGY**  
AND **CANCER**

A STORY OF  
**PATHOLOGY**  
AND **CANCER**

MOHAMMAD ZULKARNAEN  
BIN AHMAD NARIHAN

UNIVERSITI MALAYSIA SARAWAK

© UNIMAS Publisher, 2020

All rights reserved. No part of this publication may be reproduced, stored in retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher.

Published in Malaysia by  
UNIMAS Publisher,  
Universiti Malaysia Sarawak,  
94300 Kota Samarahan,  
Sarawak, Malaysia.

Printed in Malaysia by  
Lee Miing Press Sdn Bhd <sup>(S41980-U)</sup>  
No. 48, Jalan Ellis,  
93300 Kuching,  
Sarawak, Malaysia.

Credit to photographer,  
Azhar Bin Abdul Aziz

Perpustakaan Negara Malaysia

Cataloguing-in-Publication Data

Mohammad Zulkarnaen Ahmad Narihan  
A STORY OF PATHOLOGY AND CANCER / MOHAMMAD ZULKARNAEN  
BIN AHMAD NARIHAN.  
ISBN 978-967-2298-24-3  
1. Pathology.  
2. Cancer.  
3. Cancer--Pathogenesis.  
I. Title.  
616.07

# CONTENTS

<b>Preface</b>	<b>xvii</b>
<b>Acknowledgement</b>	<b>xix</b>
<b>List of Figures</b>	<b>ix</b>
<b>List of Tables</b>	<b>xiii</b>
<b>Chapter 1 Introduction</b>	<b>1</b>
What is Pathology?	1
History of Pathology	2
Pathology in Ancient Egypt and Greek	2
Pathology in Early Romans and Arab World	3
Pathology during the Renaissance	5
Pathology in the 18th Century	6
Pathology and the Microscope	6
Pathology in the 20th Century and Malaysia	7
<b>Chapter 2 Pathology and Cancer</b>	<b>11</b>
Epidemiology of Cancer in Malaysia	11
The Normal Cell	11
The Beginning of Cancer	13
Resisting Apoptosis	13
Cancer Cells Evading The Host Immune System	17
Cancer Cells and Angiogenesis	19

<b>Chapter 3 Characteristics of Cancer</b>	<b>25</b>
An Aggressive, Invasive Cancer	25
A Metastasizing Cancer	27
What Causes Cancer?	28
Hereditary Genetic Anomalies	29
Exposure to Some Infectious Agents	29
Exposure to Carcinogenic Agents	29
Unhealthy Behaviours	30
<b>Chapter 4 Questions Regarding Cancer</b>	<b>33</b>
Are All Tumours Cancers?	33
Can A Benign Tumour Turn Into Cancer?	33
Is It Easy to Differentiate a Cancerous Tumour and a Benign Tumour?	35
Benign Conditions Mimicking Cancers	35
Slow Growing Cancers That Has Similar Features with Benign Tumours	37
Tumours That Are Very Rarely Seen in The Organ	39
Unusual Presentation of a Tumour	42
Can a Benign Tumour be Harmful?	44
<b>Chapter 5 Pathology and Cancer Treatment</b>	<b>49</b>
Limb Salvage Using Autoclaved Tumour Bearing Bone	49
Developing Non-Invasive Hyperthermia Cancer Treatment	53
<b>Conclusion</b>	<b>57</b>
<b>References</b>	<b>59</b>

## List of Figures

1.1	Example of the Egyptian papyrus [Source: Unknown].	2
1.2	Hippocrates [Source: 1881 Young Persons' Cyclopeda of Persons and Place].	3
1.3	Cornelius Celsus [Source: Lith. de Gregoire et Deneux, 1865].	4
1.4	Claudius Galenus, better known as Galen [Source: Lithograph by Gregoire et Deneux, ca. 1865].	4
1.5	Pathologists' best friend, the microscope.	7
2.1	Histological findings of the normal cell (A) The epithelial cells of the skin, few of the many cells that makes up our body; (B) An epithelial cell undergoing mitosis.	12
2.2	Histologic section from the osteosarcoma cases stained for HIF-1 $\alpha$ antibody. Strong nuclear and cytoplasmic uptake positivity [Source: Rozi <i>et al.</i> , 2017].	16
2.3	Schematic diagram mechanism of action that underlies the chromosomal instability in human osteosarcoma [Source: Rozi <i>et al.</i> , 2017].	17
2.4	Declined in numbers of positive dendritic cell CD1a in (A) CIN3 compared to (B) SCC; Increased in numbers of positive dendritic cells CD83 in (C) CIN3 to (D) SCC [Source: Hayati & Zulkarnaen, 2007].	19
2.5	Histological picture showing immunohistochemical staining of the malignant cells with anti VEGF antibody. More than 50% of the malignant cells are positive towards the antibody [Source: Zulkarnaen <i>et al.</i> , 2011].	20
2.6	Kaplan–Meier Survival curves with respect to pre-chemotherapy VEGF expression of the malignant tumour cells (mean follow-up of 20 months) showing overall survival [Source: Zulkarnaen <i>et al.</i> , 2011].	21

- 3.1 Magnetic resonance images showing the mass encroaching into the patellar fat pads and located within the intermuscular plane between the sartorius and vastus medialis, which were stretched but with no abnormal signal within. The femoral vessels (arrow) are not encased by the mass [Source: Ibrahim *et al.*, 2014]. 26
- 3.2 The tumour (A) ulcerating out of the skin surface (arrow); (B) with a heterogeneous surface with infiltration into the surrounding muscle and fat, and composed of gelatinous nodules separated by fibrous septations (arrow), with foci of haemorrhage and necrosis [Source: Ibrahim *et al.*, 2014]. 26
- 3.3 The myxoid (white arrow) and cellular (black arrows) areas showing chondroid neoplastic cells with rounded to oval nuclei with vacuolated cytoplasm (H&E) [Source: Ibrahim *et al.*, 2014]. 27
- 4.1 Malignant transformation of a benign epidermal cyst (A). Intraoperatively, the cyst drained thick whitish content; (B) Grossly showed collapsed cyst wall with two solid nodular tumours (yellow arrow); The rest of the cyst wall is covered with whitish membrane (squame); (C) Invasive squamous cell carcinoma composed of keratin pearl, individual cells keratinisation and intercellular bridges; (D) In areas, the cyst wall lining epithelium shows dysplastic changes [Source: Dayangku Norlida *et al.*, 2019]. 34
- 4.2 Radiological and pathological images of the lesion. (A) AP view of the skull showing punched out lesions; (B) Lateral view of the skull [Source: Pan & Zulkarnaen, 2014]. 36
- 4.3 Presence of epitheloid granuloma with Langhan multinucleated giant cells [Source: Pan & Zulkarnaen, 2014]. 37
- 4.4 Radiological investigation showed lytic lesion at the proximal left tibia involving the meta-epiphysis region [Source: Zulkarnaen *et al.*, 2019]. 38

- 4.5 Initial biopsy showed presence of mononuclear cells with scattered osteoclast like giant cells consistent with giant cell tumour. No osteoid formation is seen [*Source: Zulkarnaen et al., 2019*]. 38
- 4.6 The subsequent biopsy showed (A) two distinct features with areas of giant cells bordering areas of malignant cells producing osteoid; (B) Higher magnification of the subsequent biopsy showed malignant cells with areas of osteoid formation [*Source: Zulkarnaen et al., 2019*]. 39
- 4.7 Magnetic resonance imaging showing an intraosseous lesion (arrow) at the proximal femur [*Source: Zulkarnaen et al., 2012b*]. 40
- 4.8 Pathological findings of the tumour. (A) Gross specimen of the proximal femur with surrounding the tumour and fracture site (red arrow); (B) Cut section of the proximal femur showing a haemorrhagic tumour (red arrow) involving the metaphysis and diaphysis [*Source: Zulkarnaen et al., 2012b*]. 41
- 4.9 Histological image showing spindled malignant cells and focal areas of glandular formations (red arrow) [*Source: Zulkarnaen et al., 2012b*]. 41
- 4.10 The arrows pointed to a large and diffuse swelling involving the right shoulder and the anterior chest wall [*Source: Ibrahim et al., 2012b*]. 42
- 4.11 Radiological and pathological findings of the tumour (A) Coronal T2-weighted MR image shows a large diffuse soft tissue mass with multiple lymph nodes involvement (blue arrows) and of pleural effusion (asterisk); (B) The tumour mass biopsy shows Hodgkin cells (green arrow) scattered amongst mixed inflammatory cells background [*Source: Ibrahim et al., 2012b*]. 43
- 4.12 Immunohistochemistry staining on the Hodgkin cells (red arrow) which lacked of LCA staining while positive for vimentin, CD30 and CD15 [*Source: Ibrahim et al., 2012b*]. 43

- 4.13 Photo shows the location of the lesion on the patient's neck. The wound is from an incisional biopsy that established the diagnosis of lipoblastoma [Source: Rohaizam *et al.*, 2015]. 45
- 4.14 Computed Tomography (CT) of the neck and thorax show a heterogeneous, hypodense mass at the left retrotracheal cervicothoracic region, extending superiorly to the level of the left midpole of the thyroid gland and inferiorly to below the carina of the trachea [Source: Rohaizam *et al.*, 2015]. 45
- 4.15 Pathological findings of the tumour. (A) Grossly, the tumour is well circumscribed, with yellowish fat tissue separated in lobules by fibrous septa; (B) This high-power microscopic view of the tumour shows mature adipocytes in a myxoid matrix. No areas of necrosis or mitosis are seen [Source: Rohaizam *et al.*, 2015]. 46
- 5.1 Patient with osteosarcoma of the distal femur: (A) Plain radiograph showing changes at the distal femur; (B) Magnetic resonance imaging scan showing the intramedullary extent of the tumour; (C) Intraoperative photograph showing the autoclaved tumour bone placed in its original bed; (D) Post-operative radiograph showing fixation of the autoclaved bone; (E) Follow-up 14 months later showing bone union and full weight-bearing without aids [Source: Pan *et al.*, 2012a]. 52