

*Herpetological
Review*

Volume 52, Number 2 – June 2021



GEOGRAPHIC DISTRIBUTION

CAUDATA — SALAMANDERS

AMBYSTOMA JEFFERSONIANUM (Jefferson Salamander). USA: PENNSYLVANIA: MERCER Co.: Fredonia, near Shenango River (41.31716°N, 80.32938°W; WGS 84). 15 May 2019. Mark Russell, Lisa J. McKenzie, and Brent Henderson. Verified by Mark Lethaby. Clarion University Vertebrate Collections and Museum (CUP AP504; photo voucher) and Pennsylvania Amphibian and Reptile Survey (PARS 156838; photo voucher). New county record representing range extension ca. 34 km SW of the nearest museum specimen (National Museum of Natural History, Smithsonian Institution [USNM] 544427) collected near Polk, Venango County (Hulse et al. 2001. *Amphibians and Reptiles of Pennsylvania and the Northeast*. Cornell University Press, Ithaca, New York. xii + 419 pp.; Pennsylvania Amphibian and Reptile Survey: www.paherpssurvey.org).

LISA J. MCKENZIE, 5049 Lamor Road, Hermitage, Pennsylvania 16148, USA (e-mail: lj.mckenzie@eagle.clarion.edu); **MARK RUSSELL**, 312 Quailview Road, Greenville, Pennsylvania 16125, USA (e-mail: markrussell4@gmail.com); **BRENT HENDERSON**, 135 Plum Street, Greenville, Pennsylvania 16125, USA (e-mail: brenthenderson74@gmail.com); **KURT J. REGESTER**, Department of Biology and Geosciences, Clarion University, Clarion, Pennsylvania 16214, USA (e-mail: kregester@clarion.edu).

AMBYSTOMA TIGRINUM (Eastern Tiger Salamander). USA: TENNESSEE: SEQUATCHIE Co.: East Valley Rd, 1.95 km N of TN Hwy 111 (35.40480°N, 85.32228°W; WGS 84). 26 January 2021. Zackary Davis. Verified by A. Floyd Scott. David H. Snyder Museum of Zoology, Austin Peay State University (APSU 20032; photo voucher). New county record and a first for the Tennessee portion of the Sequatchie Valley physiographic feature (Redmond and Scott 1996. *Atlas of Amphibians in Tennessee*. Misc. Publ. No. 12., The Center for Field Biology, Austin Peay State University, Clarksville, Tennessee. 94 pp.; <http://www.apsubiology.org/tnamphibi-ansatlas/>; 22 March 2021). One adult observed at 2000 h crossing paved road in direction of a vernal pond in second-growth woods during a constant drizzle (14.4°C). Other species heard or observed included *Pseudacris crucifer*, *P. feriarum*, *Eurycea* sp., *Lithobates sphenoccephalus*, and *Ambystoma maculatum*. The nearest record (APSU 20031) occurs 63.5 km to the southwest on top of the southern Cumberland Plateau in Franklin County.

ZACKARY DAVIS, 1848 Hoopes Street, Alcoa, Tennessee, USA; e-mail: tarantulan1203@gmail.com.

BOLITOGLOSSA RUFESCENS (Northern Banana Salamander). MEXICO: PUEBLA: MUNICIPALITY OF SAN SEBASTIÁN TLACOTEPEC: 0.67 km SE of Tlacotepec de Porfirio Díaz (18.39889°N, 96.85083°W; WGS 84), 308 m elev. 3 October 2009. Ricardo Luría-Manzano, Juan Jesús Juárez-Ortiz, and Tania Ramírez-Valverde. Verified by Luis Canseco Márquez. San Diego Natural History Museum (SD-SNH Herp PC 05436; photo voucher). The male salamander was found at 2008 h 2.3 m above ground on a banana leaf in riparian

vegetation, one other male was found a little later there on the same date, and five more in 2011 at the same locality. First record for the state of Puebla, located 16.1 airline km NW of the nearest known locality at Santa María Chilchotla, Oaxaca (Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México [MZFC] 29159; Villegas-García et al. 2015. *Estudio herpetofaunístico de la Sierra Mazateca*, Oaxaca, México. UNAM, SNIB-CONABIO. No. JF058. 26 pp.).

RICARDO LURÍA-MANZANO, Departamento de Ecología, Instituto de Biociências, Universidade de São Paulo, Rua do Matão, Travessa 14, Cidade Universitária, 05508-090, São Paulo, SP, Brasil (e-mail: ricardolm@ib.usp.br); **TANIA RAMÍREZ-VALVERDE**, El Colegio de la Frontera Sur, Unidad Chetumal, Km Av. del Centenario Km. 5.5, 77900, Chetumal, Quintana Roo, México (e-mail: trvalverde@gmail.com); **JUAN JESÚS JUÁREZ-ORTIZ**, Benemérita Universidad Autónoma de Puebla, Facultad de Ciencias Biológicas, Boulevard Valsequillo y Av. San Claudio, Edificio BIO 1, Ciudad Universitaria, Col. Jardines de San Manuel, 72570, Puebla, Puebla, México (e-mail: reptil5@hotmail.com).

ANURA — FROGS

ABAVORANA DECORATA (Mahogany Frog). INDONESIA: WEST KALIMANTAN PROVINCE: MELAWI REGENCY: Bukit Baka Raya National Park (0.57214°S, 112.33710°E; WGS 84), 182 m elev. 10 February 2013. Muhammad Aini Ujang. Verified by E. Quah. Lee Kong Chian Natural History Museum, National University of Singapore (ZRC 1.229; photo voucher). This species is known from Borneo, though no specific records are reported (Quah et al. 2021. *Vert. Zool.* 71:75–99). Previously, *A. decorata* has been confused with *A. luctuosa* (range: Malay Peninsula, from southern Thailand to Singapore, Sumatra, and Borneo; Inger et al. 2017. *A Field Guide to the Frogs of Borneo*. Third edition. Natural History Publications [Borneo] Sdn Bhd., Kota Kinabalu. 228 pp.). First record of *A. decorata* for Kalimantan Barat Propinsi (West Kalimantan Province) and for Republic of Indonesia. Earlier records of *A. luctuosa* from Indonesia include Central and East Kalimantan Provinces (Iskandar et al. 2014. *The IUCN Red List of Threatened Species* 2014:e.T58647A89370010; 27 March 2021). We thank Evan Quah for verifying the record, Kelvin K.P. Lim providing a catalog number, and Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak for support.

MUHAMMAD AINI UJANG, **HADIMAR**, and **KARMELE LLANO SÁNCHEZ**, Yayasan IAR Indonesia, Jalan Curug Nangka, Kp. Sinarwangi, Ciapus, Bogor, Indonesia (e-mail: karmelee@internationalanimalrescue.org); **MARIUS JOSCHA MAIWALD** (e-mail: mariusj.maiwald@gmail.com); **INDRANEIL DAS**, Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak, 94300 Kota Samarahan, Sarawak, Malaysia (e-mail: idas@unimas.my).

ANAXYRUS COGNATUS (Great Plains Toad). USA: COLORADO: HUERFANO Co.: 2.8 km S, 11.8 km E of Lascar (37.80565°N, 104.61444°W; WGS 84), 1801 m elev. 4 July 2020. Hunter Johnson,